PRODUCT DATA

Reference Guide

versatile™ spaces

All dimensions in mm, all weights in kg

SKU	Description	Width	Depth	Height	Weight	Clearance	SWL
50000	Static Full Height Starter	480	650	1856	32	59	N/A
50001	Static Full Height Add-On	448	650	1856	26	59	N/A
50002	Mobile Full Height Starter	492	650	1950	33	153	N/A
50003	Mobile Full height Add-On	448	650	1950	27	153	N/A
50004	Static 3/4 Height Starter	480	650	1406	25	59	N/A
50005	Static 3/4 Height Add-On	448	650	1406	20	59	N/A
50006	Mobile 3/4 Height Starter	492	650	1500	26	153	N/A
50007	Mobile 3/4 Height Add-On	448	650	1500	21	153	N/A
50008	1 Bay Bench	510	750	931	24	59	240
50009	2 Bay Bench	958	750	931	44	59	240
50010	3 Bay Bench	1406	750	931	64	59	240
50011	4 Bay Bench	1854	750	931	84	59	240
50012	5 Bay Bench	2302	750	931	103	59	240
50013	6 Bay Bench	2750	750	931	123	59	240
50014	Trolley 1 Bay Underbench	490	660	775	19	153	195
50015	Trolley 2 Bay Underbench	938	660	775	35	153	270
50016	Trolley 3 Bay Underbench	1386	660	775	50	153	345
50017	Trolley 1 Bay Bench Height	490	660	931	22	159	180
50018	Trolley 2 Bay Bench Height	938	660	931	39	159	240
50019	Trolley 3 Bay Bench Height	1386	660	931	57	159	300

PRODUCT DATA

Reference Guide

versatile™ spaces


All dimensions in mm, all weights in kg

SKU	Description	Width	Depth	Height	Weight	Clearance	SWL
50020	Trolley 1 Bay STD Height	490	660	1025	24	153	165
50021	Trolley 2 Bay STD Height	938	660	1025	44	153	210
50022	Trolley 3 Bay STD Height	1386	660	1025	63	153	255
50023	Trolley 1 Bay 3/4 Height	490	660	1475	31	153	120
50024	Trolley 2 Bay 3/4 Height	938	660	1475	57	153	120
50025	Trolley 3 Bay 3/4 Height	1386	660	1475	83	153	120
50026	Open Bench 2 Bay	1148	750	931	25	59	240
50027	Open Bench 3 Bay	1660	750	931	34	59	200
50028	Open Bench 4 Bay	2174	750	931	42	59	140
50035	Hybrid Bench 3 Bay 1LHS	1596	750	931	45	59	240
50036	Hybrid Bench 3 Bay 1RHS	1596	750	931	45	59	240
50037	Hybrid Bench 4 Bay 2LHS	2044	750	931	65	59	240
50038	Hybrid Bench 4 Bay 2 RHS	2044	750	931	65	59	240
50039	Hybrid Bench 4 Bay 2 END	2044	750	931	65	59	240
50040	Hybrid Bench 5 Bay 2 LHS	2556	750	931	73	59	200
50041	Hybrid Bench 5 Bay 2 RHS	2556	750	931	73	59	200
50042	Hybrid Bench 5 Bay 2 END	2556	750	931	73	59	200
50043	Static Full height Bridging Bay						N/A
50044	Static 3/4 Height Bridging Bay						N/A


PRODUCT DATA

Base Clearance & Load Limits

Static Bays



Mobile Bays



Castor Option

Optional castors can be added to static products. This changes both the base clearance and overall height.

SWL Disclaimer

Safe Working Limit is in reference to the product in a STATIC capacity. It is not recommended for, or extreme caution should be exercised, when moving.